


SR4.000 RENDERING PRESS



PRESSING EXCELLENCE



SR4.000 RENDERING PRESS

Incorporates many innovative features

Footprint


 Easily positioned on existing press footprints

Shaft & cage

- 360° screening area
- Enhanced oil yield
- Easy maintenance
- Hydraulic cage opening

Gearbox

- Reversible drive
- Adapted for frequency drives
- Improved integral components
- Digital oil level
 & temperature monitoring



Dimensions		Weight		Installed Power (Subject to application)	
Length	3,700 MM *	Overall Press	11,500 KG	Main Motor	110-132 KW
Frame Width	900 MM	Half Cage	2,000 KG	Fat conveyor	1.1 KW
Frame Height	1,700 MM	Worm Assembly	750 KG	Vertical feeder	5.5 KW
Inlet Height	1,900 MM	Gearbox	1,900 KG	Horizontal feeder	4 KW
				Cake breaker	5.5 KW
				Fines brush system	4 KW
				Gearbox cooling system	2.2 KW

^{*} Length excluding main motor. All dimensions are approximate. We reserve the right to alter the specification at any time without prior notice.

OFSIGN AND MANUFACTURE OF SCREW PRESSES

PLEGACT

Cannon Street - Kingston Upon Hull HU2 OAD - United Kingdom Tel: +44 (0)1482 329864 | E-mail: sales@rosedowns.co.uk

Großer Weidenweg 3a - 27367 Ahausen/Eversen - Germany Tel: +49 (0)4231-982 88 0



rosedowns.co.uk